

ARCHAEOLOGY IN NEW ZEALAND



This document is made available by The New Zealand Archaeological Association under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License.

To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-sa/4.0/.

CALIBRATED RADIOCARBON DATES FROM CRYERS ROAD (R11/1519): A CORRECTION

Clayton Fredericksen
Prehistory Department
Research School of Pacific Studies
Australian National University
and
Edward Visser
Anatomy Department
School of Medicine
University of Otago

In our publication of the results of excavations at Cryers Road, East Tamaki, Auckland (Fredericksen and Visser 1989), we included dates from one charcoal and eight shell samples submitted to the University of Waikato Radiocarbon Dating Laboratory. We calibrated the dates using the University of Washington Quaternary Isotope Laboratory Radiocarbon Calibration Program 1987 (Rev. 2.0). This program compensates for differences in CO₂-induced C14 ages incurred through variations in local atmospheric and marine conditions (Stuiver et al. 1986a). The chosen calibration curves were:

Option 2:

20 year atmospheric record to 7210 BC (Stuiver and

Reimer 1986)

and

Option 3:

20 year marine model to 7190 BC (Stuiver et al. 1986b).

A laboratory error multiplier was not included in the calculations. Delta-R was supposed to be set at -31 \pm 13 for the shell sample dates, as this is considered to be a more accurate figure for the New Zealand marine reservoir effect than that given by Stuiver et al. (1986b: 995) (Dr Bruce McFadgen, Department of Conservation, Wellington, pers. comm. June 1989). However, an error was made while computing the delta-R figure for all eight shell dates. Hence the calibrated dates from shell samples illustrated in Table 17 and Fig. 51 in Fredericksen and Visser (1989) are erroneous and should be disregarded. The correct age estimates using a delta-R figure of -31 \pm 13 are shown here in Table 1. Information on the provenance of these samples can be found elsewhere (Fredericksen and Visser 1988; 1989).

The recalibrated age estimates presented here indicate that the Cryers Road site was occupied from the early 16th century through to perhaps the early 19th century. This is not significantly different to our previous calculated occupation span and does not affect our interpretations of site usage. Site use over this period probably took the form of temporary but recurrent habitation associated with both the exploitation of local resources (forest and garden foods, estuarine resources, fresh water) and the utilisation of a convenient route from the Tamaki River to pa at Green Mount and Te Puke-o-Tara.

ACKNOWLEDGEMENT

We wish to thank Russell Foster (Department of Conservation, Auckland) for pointing out the error incurred in calibrating the marine dates.

REFERENCES

- Fredericksen, C. and Visser, E. 1988. Excavation of the Cryers Road site (R11/1519), East Tamaki, Auckland. Archaeology in New Zealand 31 (4): 233-250.
- 1989. Archaeological Investigations at Site R11/1519, Cryers Road, East Tamaki, Auckland, New Zealand. Science and Research Series No. 21, Science and Research Division, DOC, Wellington.
- Stuiver, M. and Reimer, P.J. 1986. A computer program for radiocarbon age calibration. Radiocarbon 28 (2B): 1022-1030.
- Stuiver, M., Kromer, B., Becker, B. and Ferguson, C.W. 1986a. Radiocarbon age calibration back to 13,300 years BP and the 14th century matching of the German oak and US bristlecone pine chronologies. *Radiocarbon* 28 (2B): 969-979.
- Stuiver, M., Pearson, G.W. and Brazunias, T.F. 1986b. Radiocarbon age calibration of marine samples back to 9000 Cal Yr BP. Radiocarbon 28 (2B): 980-1021.

TABLE 1. CALIBRATED DATES FROM SHELL SAMPLES

| Laboratory no. | Conventional radiocarbon age | Calibrated age range (one standard deviation) | Calibrated age range (two standard deviations) | Calibrated age |
|-------------------|------------------------------|---|--|-------------------|
| Wk:1127 | 750±45 BP | 463-369 BP | 491-300 BP | 427 BP |
| Wk:1128 | 700±40 BP | 422-301 BP | 454-279 BP | 360 BP |
| Wk:1129 | 670±40 BP | 389-285 BP | 430-264 BP | 310 BP |
| Wk:1130 | 590±40 BP | 287-243 BP | 313-136 BP | 266 BP |
| Wk:1131 | 510±40 BP | 245-85 BP | 268-0 BP | 139 BP |
| Wk:1132 | 680±45 BP | 408-288 BP | 445-265 BP | 317 BP |
| Wk:1133 | 690±45 BP | 417-293 BP | 453-269 BP | 329 BP |
| Wk:1134 | 520±45 BP | 254-98 BP | 278-0 BP | 150 BP |